


RAW SEQUENCE LISTING ERROR REPORT



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/979,546
Source: P4/09
Date Processed by STIC: 12/4/2001

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,**
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY**

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax)

PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of-the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address:

<http://www.uspto.gov/web/offices/pac/checker>

Raw Sequence Listing Error Summary

ERROR DETECTED

SUGGESTED CORRECTION

SERIAL NUMBER: 09/979,546

ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE

- 1 Wrapped Nucleics
 Wrapped Aminos The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping."
- 2 Invalid Line Length The rules require that a line not exceed 72 characters in length. This includes white spaces.
- 3 Misaligned Amino
 Numbering The numbering under each 5th amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead.
- 4 Non-ASCII The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.
- 5 Variable Length Sequence(s) contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.
- 6 PatentIn 2.0
 "bug" A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s) . Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.
- 7 Skipped Sequences
 (OLD RULES) Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence:
 (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)
 (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading)
 (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)
 This sequence is intentionally skipped

 Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences.
- 8 Skipped Sequences
 (NEW RULES) Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence.
 <210> sequence id number
 <400> sequence id number
 000
- 9 Use of n's or Xaa's
 (NEW RULES) Use of n's and/or Xaa's have been detected in the Sequence Listing.
 Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present.
 In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.
- 10 Invalid <213>
 Response Per 1.823 of Sequence Rules, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species). <220>-<223> section is required when <213> response is Unknown or is Artificial Sequence
- 11 ✓ Use of <220> Sequence(s) 70 missing associated numeric identifiers and responses.
 Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section.
 (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)
- 12 PatentIn 2.0
 "bug" Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.
- 13 Misuse of n n can only be used to represent a single nucleotide in a nucleic acid sequence. N is not used to represent any value not specifically a nucleotide.

PCT09

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/979,546

DATE: 12/04/2001

TIME: 11:49:08

Input Set : A:\Sequence.txt

Output Set: N:\CRF3\11212001\I979546.raw

3 <110> APPLICANT: Takeda Chemical Industries, Ltd.
W--> 4 <120> TITLE OF INVENTION: Novel Polypeptide
W--> 5 <130> FILE REFERENCE: 2609WO0P
C--> 6 <140> CURRENT APPLICATION NUMBER: US/09/979,546
C--> 6 <141> CURRENT FILING DATE: 2001-11-20
6 <150> PRIOR APPLICATION NUMBER: JP 11-140229
7 <151> PRIOR FILING DATE: 1999-05-20
W--> 8 <160> NUMBER OF SEQ ID: 70

Does Not Comply
Corrected Diskette Needed

ERRORED SEQUENCES

956 <210> SEQ ID NO: 70
957 <211> LENGTH: 44
958 <212> TYPE: DNA
959 <213> ORGANISM: Artificial Sequence
W-OK 960 <220> FEATURE:
961 <223> OTHER INFORMATION:
W--> 962 <400> SEQUENCE: 70
C--> 963 ctgggcgtcg acctgtgaca ggaagcccag gctcctgctc cact 44
E--> 965 1/35 delete

see item 11 on Error Summary
Sheet

<223> needs
mandatory
response
wherever <213>
response is
Unknown or is
Artificial Sequence

FYI: all nucleotides
must be in
lower-case letters
when Sequence Listing
is in new Sequence Rules
format.

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/979,546

DATE: 12/04/2001

TIME: 11:49:09

Input Set : A:\Sequence.txt

Output Set: N:\CRF3\11212001\I979546.raw

L:4 M:283 W: Missing Blank Line separator, <120> field identifier
L:5 M:283 W: Missing Blank Line separator, <130> field identifier
L:6 M:270 C: Current Application Number differs, Replaced Current Application No
L:6 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:8 M:283 W: Missing Blank Line separator, <160> field identifier
L:9 M:283 W: Missing Blank Line separator, <210> field identifier
L:13 M:283 W: Missing Blank Line separator, <400> field identifier
L:35 M:283 W: Missing Blank Line separator, <400> field identifier
L:56 M:283 W: Missing Blank Line separator, <400> field identifier
L:89 M:283 W: Missing Blank Line separator, <400> field identifier
L:127 M:283 W: Missing Blank Line separator, <400> field identifier
L:155 M:283 W: Missing Blank Line separator, <400> field identifier
L:195 M:283 W: Missing Blank Line separator, <400> field identifier
L:232 M:283 W: Missing Blank Line separator, <400> field identifier
L:257 M:283 W: Missing Blank Line separator, <400> field identifier
L:280 M:283 W: Missing Blank Line separator, <400> field identifier
L:301 M:283 W: Missing Blank Line separator, <400> field identifier
L:328 M:283 W: Missing Blank Line separator, <400> field identifier
L:371 M:283 W: Missing Blank Line separator, <400> field identifier
L:386 M:283 W: Missing Blank Line separator, <400> field identifier
L:401 M:283 W: Missing Blank Line separator, <400> field identifier
L:433 M:283 W: Missing Blank Line separator, <400> field identifier
L:434 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=16
L:445 M:283 W: Missing Blank Line separator, <400> field identifier
L:446 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=17
L:457 M:283 W: Missing Blank Line separator, <400> field identifier
L:458 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=18
L:474 M:283 W: Missing Blank Line separator, <400> field identifier
L:475 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=19
L:492 M:283 W: Missing Blank Line separator, <400> field identifier
L:493 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=20
L:506 M:283 W: Missing Blank Line separator, <400> field identifier
L:507 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=21
L:525 M:283 W: Missing Blank Line separator, <400> field identifier
L:526 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=22
L:543 M:283 W: Missing Blank Line separator, <400> field identifier
L:544 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=23
L:556 M:283 W: Missing Blank Line separator, <400> field identifier
L:557 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=24

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/979,546

DATE: 12/04/2001

TIME: 11:49:09

Input Set : A:\Sequence.txt

Output Set: N:\CRF3\11212001\I979546.raw

L:568 M:283 W: Missing Blank Line separator, <400> field identifier
L:569 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=25
L:580 M:283 W: Missing Blank Line separator, <400> field identifier
L:581 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=26
L:594 M:283 W: Missing Blank Line separator, <400> field identifier
L:595 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=27
L:615 M:283 W: Missing Blank Line separator, <400> field identifier
L:616 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=28
L:624 M:283 W: Missing Blank Line separator, <400> field identifier
L:625 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=29
L:633 M:283 W: Missing Blank Line separator, <400> field identifier
L:634 M:112 C: (48) String data converted to lower case,
M:112 Repeated in SeqNo=30
L:648 M:283 W: Missing Blank Line separator, <220> field identifier
L:650 M:283 W: Missing Blank Line separator, <400> field identifier
L:651 M:112 C: (48) String data converted to lower case,
L:656 M:283 W: Missing Blank Line separator, <220> field identifier
L:658 M:283 W: Missing Blank Line separator, <400> field identifier
L:659 M:112 C: (48) String data converted to lower case,
L:664 M:283 W: Missing Blank Line separator, <220> field identifier
L:666 M:283 W: Missing Blank Line separator, <400> field identifier
L:667 M:112 C: (48) String data converted to lower case,
L:672 M:283 W: Missing Blank Line separator, <220> field identifier
L:674 M:283 W: Missing Blank Line separator, <400> field identifier
L:675 M:112 C: (48) String data converted to lower case,
L:680 M:283 W: Missing Blank Line separator, <220> field identifier
L:682 M:283 W: Missing Blank Line separator, <400> field identifier
L:683 M:112 C: (48) String data converted to lower case,
L:688 M:283 W: Missing Blank Line separator, <220> field identifier
L:690 M:283 W: Missing Blank Line separator, <400> field identifier
L:691 M:112 C: (48) String data converted to lower case,
L:696 M:283 W: Missing Blank Line separator, <220> field identifier
L:698 M:283 W: Missing Blank Line separator, <400> field identifier
L:699 M:112 C: (48) String data converted to lower case,
L:704 M:283 W: Missing Blank Line separator, <220> field identifier
L:706 M:283 W: Missing Blank Line separator, <400> field identifier
L:707 M:112 C: (48) String data converted to lower case,
L:715 M:112 C: (48) String data converted to lower case,
L:723 M:112 C: (48) String data converted to lower case,
L:731 M:112 C: (48) String data converted to lower case,
L:739 M:112 C: (48) String data converted to lower case,
L:747 M:112 C: (48) String data converted to lower case,
L:755 M:112 C: (48) String data converted to lower case,
L:763 M:112 C: (48) String data converted to lower case,

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/979,546

DATE: 12/04/2001

TIME: 11:49:09

Input Set : A:\Sequence.txt

Output Set: N:\CRF3\11212001\I979546.raw

L:771 M:112 C: (48) String data converted to lower case,
L:779 M:112 C: (48) String data converted to lower case,
L:787 M:112 C: (48) String data converted to lower case,
L:795 M:112 C: (48) String data converted to lower case,
L:803 M:112 C: (48) String data converted to lower case,
L:965 M:254 E: No. of Bases conflict, LENGTH:Input:35 Counted:45 SEQ:70
L:965 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:2
L:965 M:252 E: No. of Seq. differs, <211>LENGTH:Input:44 Found:45 SEQ:70